

Environmental Product Declaration

BREG EN EPD No.: 000048

Issue: 01

ECO EPD Ref. No.: 000157

This is to certify that this verified Environmental Product Declaration provided by:

Deciaration provided by.

PPG Architectural Coatings UK limited



Is in accordance with the requirements of:

EN 15804:2012+A1:2013

This declaration is for:

Johnstone's Vinyl Soft Sheen

Company Address

Wide Lane

Morley LS27 9BL





PAINT TO BE PROUD OF



Signed for BRE Global Ltd

Derek Hughes

27 March 2015

Operator

Date of this Issue

27 March 2015

26 March 2020

Date of First Issue Expiry Date



This verified Environmental Product Declaration is issued subject to terms and conditions (for details visit www.greenbooklive.com/terms).

To check the validity of this EPD please visit www.greenbooklive.com/check or contact us.

BRE Global Ltd., Garston, Watford WD25 9XX.

T: +44 (0)333 32188 11 F: +44 (0)1923 664603 E: Enquiries@breglobal.com





EPD verification and LCA details

Demonstration of Verification	on
CEN standard EN 15804 serves as the or	ore PCRª
Independent verification of the declaration and data accord	ling to EN ISO 14025:2010
Internal	External
Third party verifier ^b : Dr Owen Abbe	
DI Owen Abbe	
a: Product category rules b: Optional for business-to-business communication; mandatory for business-to-consumer co	mmunication (see EN ISO 14025:2010, 9.4)

Verifier
Dr Owen Abbe
BRE Global
Bucknalls Lane
Watford
WD25 9XX
www.bre.co.uk

EPD Number: BREG EN EPD 000048 BF1331ECOP Rev 0.2 Date of issue: 27 March 2015 Page 2 of 11



General Information

Summary

This environmental product declaration is for 1 square metre of Johnstone's Vinyl Soft Sheen produced by PPG Architectural Coatings UK limited at the following manufacturing facilities:

PPG Architectural Coatings UK limited Wide Lane

Morley LS27 9BL UK

This is a Cradle to gate with options EPD. The life cycle stages included are as shown below (X = included, MND = module not declared):

	Produc		Const	ruction	Use stage							End-of-life				Benefits and loads beyond
	Flouuc		Const	luction	Re	Related to the building fabric					Related to the building		End-or-line			the system boundary
A1	A2	А3	A4	A5	B1	B2	В3	B4	B5	B6	B7	C1	C2	C3	C4	D
Raw materials supply	Transport	Manufacturing	Transport to site	Construction - Installation	Use	Maintenance	Repair	Replacement	Refurbishment	Operational Energy Use	Operational Water use	Deconstruction	Transport	Waste processing	Disposal	Reuse, Recovery and/or Recycling potential
X	Х	X	Х	х	MND	MND	MND	MND	MND	MND	MND	MND	X	MND	X	MND

Programme Operator

BRE Global, Watford, Herts, WD25 9XX, United Kingdom.

This declaration is based on the BRE Environmental Profiles 2013 Product Category Rules for Type III environmental product declaration of construction products to EN 15804:2012+A1:2013.

Comparability

Environmental declarations from different programmes may not be comparable if not compliant with EN 15804:2012+A1:2013. Comparability is further dependent on the product category rules used and the source of the data, e.g. the database. See EN 15804:2012+A1:2013 for further guidance.

Construction Product

Product Description

Johnstone's Soft Sheen is a vinyl mid sheen emulsion formulated for interior use on walls and ceilings. It provides an attractive modern alternative to traditional Vinyl Silk and Vinyl Matt that will withstand normal levels of humidity and can be wiped clean.

Technical Information

Property	Value	Unit
Spreading rate	12 - 13	m²/L
time to touch dry	1 - 2	Hours
Time to recoat	3 - 4	Hours
VOC content	Low (0.3 - 7.99)	%

EPD Number: BREG EN EPD 000048 Date of issue: 27 March 2015 Expiry Date: 26 March 2020 BF1331ECOP Rev 0.2 Page 3 of 11 © BRE Global Ltd 2015




Product Contents

Material/Chemical Input	%
Additives	<1
Binder	15-20
Inorganic minerals	20-25
Water	55-60
Glycols and esters	<2

Manufacturing Process

The manufacturing process involves the mixing and dispersing of raw materials into a homogeneous mixture. The product is then packaged for distribution to the customer.

The process flow diagram is shown below:





Construction Installation

All surfaces should be sound, clean, dry and free from grease. Remove any crazed or flaking paint. Stir well before use and apply by brush, roller or paint pad. When using a roller, use a medium pile synthetic type. Apply liberally and evenly; avoid overspreading. Do not apply when air or surface temperature is less than 10°C or in damp conditions. If more than one can of colour is to be used in the same area, intermix before use.

Reference Service Life

The reference service life of the product is highly dependent on the conditions of use.

End of Life

Coatings are often not removed, so the end of life the product is that of the end of life of the underlying substrate. For interior wall paint on a mineral surface this is often landfill.

Life Cycle Assessment Calculation Rules

Declared / Functional unit

Protecting and decorating 1m² of substrate, suitably prepared, on the basis of one layer of the product.

System boundary

The system boundaries of the product LCA follow the modular design defined by /EN15804/. This cradle-to-gate with options study includes the Product stage (A1-A3), Transport stage (A4), Installation stage (A5), End-of-life transport (C2) and Disposal (C4).

Data sources, quality and allocation

Data related to in-house PPG processes has been collected from PPG reporting systems and is of high quality.

For life cycle modelling of the process, SimaPro V.8.0.3 is used. All relevant background datasets are taken from Ecoinvent V3.01 database and are documented in supporting Ecoinvent documentation.

Many Ecoinvent processes, such as waste disposal, are multi-input and not just for the material specified. For these processes the allocation used for the material in question is the one specified in the Ecoinvent process.

Allocation of waste to reuse and waste disposal streams is made on the basis of recent data from reliable sources.

Cut-off criteria

Cut off criteria are:

1% of the renewable and non-renewable energy usage

1% of the mass of the process under consideration

The total neglected flows shall be no more than:

5% of the energy usage

5% of the total mass

EPD Number: BREG EN EPD 000048 Date of issue: 27 March 2015 Expiry Date: 26 March 2020 BF1331ECOP Rev 0.2 Page 5 of 11 © BRE Global Ltd 2015



LCA Results

(INA = Indicator not assessed, AGG = Aggregated, NA = Not Applicable)

		A1	A2	А3	A1-A3	A4	A5	B1	B2	В3		
Indicator	Unit	Raw materials supply	Transport to factory	Manufacturing	Aggregateted	Transport to site	Construction - installation	Use	Maintenance	Repair		
Environmen	Environmental impacts per declared/functional unit											
GWP	kg CO₂ eq.	0.164	0.0119	0.0314	INA	0.00346	0.0249	INA	INA	INA		
ODP	kg CFC 11 eq.	1.99E-08	7.92E-10	1.59E-09	INA	2.31E-10	7.16E-10	INA	INA	INA		
AP	kg SO₂ eq.	0.00087	6.49E-05	0.00013	INA	1.89E-05	8.08E-05	INA	INA	INA		
EP	kg (PO₄)³⁻ eq.	0.000425	1.52E-05	4.83E-05	INA	4.45E-06	4.32E-05	INA	INA	INA		
POCP	kg C₂H₄ eq.	0.000156	6.58E-06	3.44E-05	INA	1.92E-06	0.00132	INA	INA	INA		
ADPE	kg Sb eq.	9.48E-06	2.52E-08	4.82E-07	INA	7.36E-09	8.62E-07	INA	INA	INA		
ADPF	MJ eq.	2.86	0.171	0.429	INA	0.0499	0.441	INA	INA	INA		

GWP = Global Warming Potential (Climate Change); ODP = Ozone Depletion Potential; AP = Acidification Potential for Soil and Water; EP = Eutrophication Potential; POCP = Photochemical Ozone Creation; ADPE = Abiotic Depletion Potential – Elements; ADPF = Abiotic Depletion Potential – Fossil Fuels

Resource us	e									
PERE	MJ	0.00468	0.00	1.21E-05	INA	0.00	4.70E-05	INA	INA	INA
PERM	MJ	0.00161	0.00	0.198	INA	0.00	0.00232	INA	INA	INA
PERT	MJ	0.00629	0.00	0.198	INA	0.00	0.00237	INA	INA	INA
PENRE	MJ	2.61	0.172	0.455	INA	0.0503	0.305	INA	INA	INA
PENRM	MJ	0.58	0.00	0.00871	INA	0.00	0.19	INA	INA	INA
PENRT	MJ	3.19	0.172	0.464	INA	0.0503	0.495	INA	INA	INA
SM	kg	0.00	0.00	0.00	INA	0.00	0.00	INA	INA	INA
RSF	MJ	0.00	0.00	0.00	INA	0.00	0.00	INA	INA	INA
NRSF	MJ	0.00	0.00	0.00	INA	0.00	0.00	INA	INA	INA
FW	m³	0.00202	6.61E-06	0.0002	INA	1.93E-06	0.000165	INA	INA	INA

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources used as raw materials; PENRM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; NRSF = Use of

Waste to dis	posal									
HWD	kg	0.0478	1.30E-05	0.00186	INA	3.78E-06	0.0025	INA	INA	INA
NHWD	kg	0.0641	0.00027	0.0203	INA	7.88E-05	0.0133	INA	INA	INA
TRWD	kg	8.40E-06	1.01E-06	1.03E-06	INA	2.94E-07	4.99E-07	INA	INA	INA
RWDHL	kg	1.01E-06	3.69E-09	9.99E-08	INA	1.08E-09	6.42E-08	INA	INA	INA

HWD = Hazardous waste disposed; NHWD = Non-hazardous waste disposed; TRWD = Total Radioactive waste disposed; RWDHL = Radioactive waste disposed (high-level nuclear waste)

Other outpu	Other output flows											
CRU	kg	0.00	0.00	0.00	INA	0.00	0.00	INA	INA	INA		
MFR	kg	0.00	0.00	0.0002	INA	0.00	0.00517	INA	INA	INA		
MER	kg	0.00	0.00	0.000548	INA	0.00	0.00375	INA	INA	INA		
EE MJ 0.00 0.00 1NA 0.00 0.00 INA INA INA												
CRU = Compo	RIT = Components for reuse: MER = Materials for recycling: MER = Materials for energy recovery: EE = Export energy											

EPD Number: BREG EN EPD 000048 Date of issue: 27 March 2015 Expiry Date: 26 March 2020 Page 6 of 11 © BRE Global Ltd 2015

BF1331ECOP Rev 0.2



LCA Results (continued)

(INA = Indicator not assessed, AGG = Aggregated, NA = Not Applicable)

		B4	B5	В6	В7	C1	C2	C3	C4	D			
Indicator	Unit	Replacement	Refurbishment	Operational energy use	Operational water use	Demolition	Transport	Waste processing	Disposal	Reuse/ Recovery/ Recycling potential			
Environmen	Environmental impacts per declared/functional unit												
GWP	kg CO₂ eq.	INA	INA	INA	INA	INA	0.000133	INA	0.000387	INA			
ODP	kg CFC 11 eq.	INA	INA	INA	INA	INA	8.87E-12	INA	9.39E-12	INA			
AP	kg SO₂ eq.	INA	INA	INA	INA	INA	7.27E-07	INA	6.51E-07	INA			
EP	kg (PO₄)³- eq.	INA	INA	INA	INA	INA	1.71E-07	INA	1.45E-05	INA			
POCP	kg C₂H₄ eq.	INA	INA	INA	INA	INA	7.37E-08	INA	1.49E-07	INA			
ADPE	kg Sb eq.	INA	INA	INA	INA	INA	2.82E-10	INA	1.35E-09	INA			
ADPF	MJ eq.	INA	INA	INA	INA	INA	0.00192	INA	0.00233	INA			

GWP = Global Warming Potential (Climate Change); ODP = Ozone Depletion Potential; AP = Acidification Potential for Soil and Water; EP = Eutrophication Potential; POCP = Photochemical Ozone Creation; ADPE = Abiotic Depletion Potential – Elements; ADPF = Abiotic Depletion Potential – Fossil Fuels

Resource us	e									
PERE	MJ	INA	INA	INA	INA	INA	0.00	INA	0.00	INA
PERM	MJ	INA	INA	INA	INA	INA	0.00	INA	0.00	INA
PERT	MJ	INA	INA	INA	INA	INA	0.00	INA	0.00	INA
PENRE	MJ	INA	INA	INA	INA	INA	0.00193	INA	0.00241	INA
PENRM	MJ	INA	INA	INA	INA	INA	0.00	INA	0.00	INA
PENRT	MJ	INA	INA	INA	INA	INA	0.00193	INA	0.00241	INA
SM	kg	INA	INA	INA	INA	INA	0.00	INA	0.00	INA
RSF	MJ	INA	INA	INA	INA	INA	0.00	INA	0.00	INA
NRSF	MJ	INA	INA	INA	INA	INA	0.00	INA	0.00	INA
FW	m³	INA	INA	INA	INA	INA	7.40E-08	INA	2.35E-06	INA

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources used as raw materials; PENRT = Total use of non-renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary f

Waste to dis	sposal									
HWD	kg	INA	INA	INA	INA	INA	1.45E-07	INA	3.37E-06	INA
NHWD	kg	INA	INA	INA	INA	INA	3.02E-06	INA	0.0088	INA
TRWD	kg	INA	INA	INA	INA	INA	1.13E-08	INA	1.16E-08	INA
RWDHL	kg	INA	INA	INA	INA	INA	4.13E-11	INA	1.91E-10	INA

HWD = Hazardous waste disposed; NHWD = Non-hazardous waste disposed; TRWD = Total Radioactive waste disposed; RWDHL = Radioactive waste disposed (high-level nuclear waste)

Other output flows										
CRU	kg	INA	INA	INA	INA	INA	0.00	INA	0.00	INA
MFR	kg	INA	INA	INA	INA	INA	0.00	INA	0.00	INA
MER	kg	INA	INA	INA	INA	INA	0.00	INA	0.00	INA
EE	MJ	INA	INA	INA	INA	INA	0.00	INA	0.00	INA

CRU = Components for reuse; MFR = Materials for recycling; MER = Materials for energy recovery; EE = Export energy

EPD Number: BREG EN EPD 000048
BF1331ECOP Rev 0.2

Date of issue: 27 March 2015 Page 7 of 11



Scenarios and Additional Technical Information

Module A4 – Transport to the building site						
Vehicle Type	Fuel Consumption (L/km)	Distance (km)	Capacity Utilisation (%)	Density Of Product (kg/m³)		
Heavy goods vehicle	0.320	300	50	1220		

Module A5 - Installation in the building						
Parameter	Description	Unit	Value			
Ancillary materials for installation	Roller for application	g	2.13			
Ancillary materials for installation	Polypropylene sheet for spills protection	g	2.28			
Waste materials from installation wastage	Disposal of paint lost during application	g	0.98			
Waste materials sorted on site for recycling, energy recovery, disposal (specified by route)	Disposal of roller	g	2.13			
Waste materials sorted on site for recycling, energy recovery, disposal (specified by route)	Disposal of polypropylene sheeting	g	2.28			
Waste materials sorted on site for recycling, energy recovery, disposal (specified by route)	Disposal of primary packaging - polypropylene (Assume: 61% landfill, 31% incineration)	g	0.00671			
Waste materials sorted on site for recycling, energy recovery, disposal (specified by route)	Disposal of primary packaging - polypropylene (Assume: 61% landfill, 31% incineration)	g	4.25			
Waste materials sorted on site for recycling, energy recovery, disposal (specified by route)	Disposal of cardboard packaging (Assume: 86% recycling, 9% landfill, 5% incineration)	g	1.92			
Waste materials sorted on site for recycling, energy recovery, disposal (specified by route)	Disposal of wooden pallet (Assume: 38% recycling, 26% landfill, 19% incineration)	g	9.77			
Waste materials sorted on site for recycling, energy recovery, disposal (specified by route)	Disposal of polyethylene wrap (Assume: 61% landfill, 31% incineration)	g	0.0533			
Direct emissions to air, soil and water	VOC emissions	g	0.0342			

End-of-life modules – C1, C3, and C4							
Parameter	Description	Unit	Value				
Waste for final disposal	Wall paint coating as part of demolition waste sent to landfill	g	44.5				

Module C2 – Transport to waste processing						
Vehicle Type	Fuel Consumption (L/km)	Distance (km)	Capacity Utilisation (%)	Density Of Product (kg/m³)		
Heavy transport vehicle	0.320	30	50	1690		

Interpretation

Analysis of the relative contributions of each Module shows that most of the impact comes from the raw materials stage (A1) for most of the indicators (Figure 1). This high contribution of raw materials to the impact indicators is not unexpected. As paints are at the end of the chemical value chain much of the expenditure of energy, raw materials, processing, waste processing, etc. in bringing the product to existence has occurred prior to the entry of the raw materials onto the PPG production site.

A further breakdown of the contribution of the different raw material types to environmental indicators in Module A1 shows that the majority of each impact comes from the titanium dioxide and the binder (Figure 2). This is typical for coatings products and not unexpected given these two raw materials are often present in high proportions and have a relatively high environmental impact.

EPD Number: BREG EN EPD 000048 BF1331ECOP Rev 0.2 Date of issue: 27 March 2015 Page 8 of 11



Analysis of Module A3 shows the factors which contribute to this portion of the impact (Figure 3). As can be seen the majority of the impact for this module comes from the packaging for the product (including raw materials, processing and transport to PPG production site), and not the production process itself. This is expected as paint is a formulated product. The production process is mixing, dispersing, and some grinding, and does not comprise energy intensive processes such as heating or cooling that would be required for chemical reaction processes. Hence the contribution from PPG the PPG factory to the environmental impact is low.




Figure 1






Figure 2




Figure 3



Sources of additional information

BRE Global. BRE Environmental Profiles 2013: Product Category Rules for Type III environmental product declaration of construction products to EN 15804:2012+A1:2013. PN 514. Watford, BRE, 2014.

BSI. Sustainability of construction works – Environmental product declarations – Core rules for the product category of construction products. BS EN 15804:2012+A1:2013. London, BSI, 2013.

BSI. Environmental labels and declarations – Type III Environmental declarations – Principles and procedures. BS EN ISO 14025:2010 (exactly identical to ISO 14025:2006). London, BSI, 2010.

BSI. Environmental management – Life cycle assessment – Principles and framework. BS EN ISO 14040:2006. London, BSI, 2006.

BSI. Environmental management – Life cycle assessment – requirements and guidelines. BS EN ISO 14044:2006. London, BSI, 2006.

 EPD Number: BREG EN EPD 000048
 Date of issue: 27 March 2015
 Expiry Date: 26 March 2020

 BF1331ECOP Rev 0.2
 Page 11 of 11
 © BRE Global Ltd 2015